

Date: Tuesday, 6/12/2007 3:00:49 PM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: TOW RING
Job Number	: 32893		
Estimate Number	: 10793		
P.O. Number	: <i>N/A</i>	Part Number	: D3407043
This Issue	: 6/12/2007 S.O. No. : <i>N/A</i>	Drawing Number	: D3407 REV C
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: <i>N/A</i> Type : LARGE FAB ASSY	Drawing Revision	: C
Previous Run	: 28926	Material	: <i>N/A</i>
Written By	:	Due Date	: 6/30/2007
Checked & Approved By	: <i>[Signature]</i> 07.06.12	Qty:	<i>9</i> Um: Each
Comment	: Est Rev: A 05.10.14 New issue KJ/EC		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D34073	Stem
-----	--------	------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 10.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
1	D3407-3	Stem	<i>B32899</i>

FE

2.0	D34075	Ring
-----	--------	------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 10.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
1	D3407-5	Ring	<i>B30402</i>

FE 07/07/26 (9)

3.0	LARGE FAB 1	LARGE FABRICATION RESOURCE 1
-----	-------------	------------------------------



Comment: LARGE FABRICATION RESOURCE 1

Weld D3407-3/-5 using welding rod TIG174 as per Dwg D3407 & QSI 004

A/R TIG174 ROD Batch: *M101972*

FE 07/07/26 (9)

4.0	QC9	VISUAL WELDING INSPECTION
-----	-----	---------------------------



Comment: VISUAL WELDING INSPECTION

D 07-07-26 (9)

5.0	QC5	INSPECT WORK TO CURRENT STEP
-----	-----	------------------------------



Comment: INSPECT WORK TO CURRENT STEP

07/07/26 (9)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes (No) DQA: P Date: 07/08/01
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 6/12/2007 3:00:49 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: TOW RING

Job Number: 32893

Part Number: D3407043

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

POWDER COATING

POWDER COATING



m105068



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

Mask Threaded Section

FL

07/07/30

(9)

7.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

07/7/31

(9)

8.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

57466

07/7/31

(9)

9.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/08/01

(9)

Job Completion



07/07/31


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



RELEASED
05 09.12



PART NUMBER	A	B	C	D
D3407-1	5.270	4.250	3.250	0.500
D3407-3	4.325	3.305	2.555	0.250



D3407-1/-3 STEM

D3407-1 AND D3407-3 STEM:

- 1) MATERIAL: 17-4 PH SS ROUND BAR (REF DART SPEC. M17-4-R0.750)
- 2) Ø0.750 O.D.
- 3) Ø0.625 O.D.
- 4) MACHINE UNIFORM TAPER FROM Ø0.363 O.D. TO Ø0.625 O.D.
- 5) 1/4-28 UNF THREAD WITH 0.063 GRIP, CLASS 2A
- 6) MACHINE ALL INSIDE EDGES WITH A 0.010 RADIUS
- 7) UNLESS OTHERWISE INDICATED
- 8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


D3407-5 RING:

- 9) MATERIAL 17-4 PH SS, ROUND BAR (REF DART SPEC. M17-4-R3.000)
- 10) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



D3407-5 RING

USE D3407-1 STEM FOR -041
USE D3407-3 STEM FOR -043



D3407-041 AND D3407-043 TOW RING:

- 11) WELD PER QSI 004 ON ALL EDGES BETWEEN STEM AND RING
- 12) FINISH: POWDER COAT WHITE (REF 4.3.5.2) PER DART QSI 005 4.3 (EXCEPT THREADS)
- 14) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

COPYRIGHT © 2006 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

C	05.09.09	-1/-3 LONGER FOR FIT W/ WASHER
B	05.06.17	UPDATE DIAMETER, THREAD CLASS ADDED
A	05.03.16	NEW ISSUE
DESIGN	CP	DART DART AEROSPACE USA, INC. PORT HADLOCK, WA
CHECKED	CP	DRAWING NO. D3407
DATE	05.09.09	TOW RING
REV. C		SHEET 1 OF 1
		SCALE 1:1

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
32893